## Warranty

Multi-Pure 90-Day Guarantee: Multi-Pure demonstrates its confidence in the performance of its Drinking Water Systems by offering its 90 day moneyback guarantee. If you should find the Drinking Water System unsatisfactory, let us know within thirty days of purchase, and we will promptly exchange it or refund your money.

Multi-Pure Warranty: Multi-Pure Corporation warrants to the original retail customer its Drinking Water Systems and components to be free of defects in material and workmanship for use under normal care, and will repair or replace any System at no charge (excluding transportation to Multi-Pure headquarters) to the customer during the warranty period. The Agua Dome Housing is warranted for a lifetime (provided that filter has been changed at least once per year); all exterior hoses and attachments to the System are warranted for defects in material and workmanship for one year.

Multi-Pure Solid Carbon Block Filters are warranted for defects in material and workmanship for use under normal care. The capacity of the filter cartridge depends upon the amount of impurities in the water to be processed. For optimum performance, it is essential that the Solid Carbon Block Filter cartridge be replaced annually or when it has processed its listed capacity, whichever comes first.

Except as otherwise expressly provided above, Multi-Pure Corporation makes no warranties, express or implied, arising by law or otherwise. including without limitation the implied warranties of merchantability and fitness for a particular purpose, to any person. This limited warranty may not be altered, varied or extended except by a written instrument executed by Multi-Pure Corporation. The remedy of repair or replacement as provided under this limited warranty is exclusive. In no event shall Multi-Pure Corporation be liable for any consequential or incidental damages to any person whether occasioned by negligence of the manufacturer, including without limitation damages of loss of use, cost of substitution, property damage, or other monetary loss.

Warranty is valid only if Drinking Water System is operated within conditions listed herein.

### Certification

## **Multi-Pure Drinking Water Systems Product Performance Tested and Certified**



Multi-Pure Drinking Water Systems have been tested and certified by NSF International to comply with NSF/ANSI Standards 42 and 53 for the reduction of specific contaminants being considered as established or potential health hazards.

### Standard 42, Aesthetic Effects

System tested and certified by NSF International against NSF/ANSI Standard 42 for the reduction of:

Chloramine

Chlorine taste and odor

Nominal Particulate reduction, class I

#### Standard 53, Health Effects

System tested and certified by NSF International against NSF/ANSI Standard 53 for the reduction of:

**Asbestos** Chlordane Cyst Lead Mercury **MTBE PCB** Toxaphene

**Turbidity** VOC (listed below)

### Volatile Organic Chemicals (VOC) includes:

#### **Disinfection By-Products**

chloropicrin

haloacetonitriles (HAN): bromochloroacetonitrile

dibromoacetonitrile dichloroacetonitrile trichloroacetonitrile

haloketones (HK):

1,1-dichloro-2-Propanone

1,1-trichloro-2-Propanone trihalomethanes (THMs;

TTHMs):

bromodichloromethane bromoform

chloroform

dibromochloromethane tribromoacetic acid

#### Chemicals

benzene carbon tetrachloride chlorobenzene

1,2-dichloroethane 1,1-dichloroethylene

cis-1,2-dichloroethylene

1,2-dichloropropane cis-1,3-dichloropropylene

ethylbenzene hexachlorobutadiene

hexachlorocyclopentadiene simazine

styrene

1,1,2,2-tetrachloroethane tetrachloroethylene

toluene

trans-1,2-dichloroethylene 1,2,4-trichlorobenzene

1,1,1-trichloroethane

1.1.2-trichloroethane trichloroethylene

xylenes (total)

#### Herbicides

alachlor atrazine 2.4-D dinoseb

pentachlorophenol 2,4,5-TP (silvex)

#### **Pesticides**

carbofuran dibromochloropropane (DBCP) o-dichlorobenzene

p-dichlorobenzene

endrin

ethylene dibromide (EDB)

heptachlor

heptachlor epoxide

lindane methoxychlor

Filter capacity is 750 gallons, which is approximately a 12 month supply depending on local water conditions.

Claims of capacity are not applicable to contaminants reduced by mechanical filtration because of broad variations in the quality and quantity of physical matter in your drinking water.



### **California Certification**

State of California Department of Health Services

# Water Treatment Device Certificate Number 05 - 1736

Date Issued: October 20, 2005

Trademark/Model Designation

Replacement Element(s)

Multi-Pure MPAD CB6AD Multi-Pure MPADC CB6AD

Manufacturer: Multi-Pure Drinking Water Systems

The water treatment device(s) listed on this certificate have met the testing requirements pursuant to Section 116830 of the Health and Safety Code for the following health related contaminants:

### Microbiological Contaminants and Turbidity Inorganic/Radiological Contaminants

Turbidity

Asbestos Lead Mercury

#### **Organic Contaminants**

Chlordane MTBE PCB Toxaphene VOCs

> Alachlor Atrazine Benzene Carbofuran Carbon Tetrachloride Chlorobenzene Chloropicrin 2,4-D DBCP o-Dichlorobenzene

p-Dichlorobenzene 1,2-Dichloroethane 1,1-Dichloroethylene cis-1,2-Dichloroethylene trans-1,2-Dichloroethylene 1,2-Dichloropropane cis-1,3-Dichloropropylene

Dinoseb

Endrin Ethylbenzene

Haloacetonitriles (HAN) Bromochloroacetonitrile Dibromoacetonitrile Dichloroacetonitrile Trichloroacetonitrile Haloketones (HK) 1,1-Dichloro-2-Propanone

1,1,1-Trichloro-2-Propanone Heptachlor Heptachlor Epoxide Hexachlorobutadiene Hexachlorocyclopentadiene Lindane Methoxychlor

Pentachlorophenol

Simazine Styrene

1,1,2,2-Tetrachloroethane Tetrachloroethylene Toluene 2,4,5-TP (Silvex) Tribromoacetic Acid 1,2,4-Trichlorobenzene 1,1,1-Trichloroethane 1,1,2-Trichloroethane Trichloroethylene Trihalomethanes (THMs)

Bromodichloromethane Bromoform Chloroform Chlorodibromomethane

**Xylenes** 

Rated Service Capacity: 750 gals Rated Service Flow: 0.75 gpm

Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.